


AIR SUPPLY SYSTEM

QUICK RELEASE COUPLING

RECOMMENDED PAOLI PIT STOP SYSTEM

SUITABLE FOR: HURRICANE • DP 6000 • DP 6000 BIAS • DP 4000 MG • DP 4000 30BAR • DP 3000 SUPERSPORT • DP 2000 SE • DP 197 SFE • DP 177 SFE

1/2" FITTING




1	CONNECTOR B.43.0001	133	7	COUPLING B.42.0037	125
2	COUPLING B.42.0013	125	8	COUPLING B.42.0049	149
3	COUPLING B.42.0054	125	9	OILER B.45.0017	149
4	HOSE COUPLING B.41.5001	137	10	NIPPLE B.42.0078	149
5	HOSE 4 M B.41.1004	137	11	TROLLEY KIT C.01.0010	155
6	HOSE COUPLING B.41.5001	137	12	COMPRESSOR B.21.0102	161

RECOMMENDED PAOLI PIT STOP SYSTEM

SUITABLE FOR: DP 36 SF EVO • 4BIKE

3/8" FITTING



1	CONNECTOR B.43.0001	133	6	HOSE COUPLING B.41.5002	137
2	COUPLING B.42.0008	130	7	COUPLING B.42.0009	130
3	COUPLING B.42.0052	130	8	COUPLING B.42.0050	130
4	HOSE COUPLING B.41.5002	137	9	TROLLEY KIT C.01.0010	155
5	HOSE 4 M B.41.1004	137	10	COMPRESSOR B.21.0102	161

QUICK RELEASE COUPLINGS 1/2" (FOR HOSE THREADED 1/2" BSP)


SUITABLE FOR: HURRICANE • DP 6000 • DP 6000 BIAS • DP 4000 MG • DP 4000 30BAR • DP 3000 SUPERSPORT • DP 2000 SE • DP 197 SFE • DP 177 SFE

tst EUROPE

SECURITY SYSTEM BY TST EUROPE
Safety Device.
Locking Pressure Series

PRODUCT CODE	INSIDE DIAMETER	THREAD
B.42.0015	11 mm (7/16")	3/8" BSP
B.42.0004	11 mm (7/16")	1/2" BSP
B.42.0016	11 mm (7/16")	1/2" BSP
B.42.0003	11 mm (7/16")	3/8" BSP

NPT VERSION AVAILABLE ON DEMAND



QUICK RELEASE COUPLINGS 1/2" (FOR HOSE THREADED 1/2" BSP)


SUITABLE FOR: HURRICANE • DP 6000 • DP 6000 BIAS • DP 4000 MG • DP 4000 30BAR • DP 3000 SUPERSPORT • DP 2000 SE • DP 197 SFE • DP 177 SFE

CEJN eSafe

ESAFE SYSTEM - WITH SAFETY OUTLET
The new couplings eSafe by Cejn offer a higher flow, a compact design. They are extremely durable and easy to handle. They also have a function of safety outlet.

PRODUCT CODE	INSIDE DIAMETER	THREAD
B.42.0013	10,4 mm (13/32")	3/8" BSPT
B.42.0054	10,4 mm (13/32") ID 60°	1/2" BSP
B.42.0037	10,4 mm (13/32") ID 60°	1/2" BSP
B.42.0056	10,4 mm (13/32")	3/8" BSPT

NPT VERSION AVAILABLE ON DEMAND



QUICK RELEASE COUPLINGS 1/2" (FOR HOSE THREADED 1/2" BSP)

SUITABLE FOR: HURRICANE • DP 6000 • DP 6000 BIAS • DP 4000 MG • DP 4000 30BAR • DP 3000 SUPERSPORT • DP 2000 SE • DP 197 SFE • DP 177 SFE





HIGH FLOW SERIES - EXTREME USE

Automatic safety-locking feature.
Extremely high flow capacity.
One-hand operated.

PRODUCT CODE	INSIDE DIAMETER	THREAD
B.42.0062	10,4 mm (13/32")	3/8" BSPT
B.42.0060	10,4 mm (13/32")	1/2" BSP
B.42.0075	10,4 mm (13/32")	1/2" BSP
B.42.0058	10,4 mm (13/32")	3/8" BSPT

NPT VERSION AVAILABLE ON DEMAND




QUICK RELEASE COUPLINGS (BLUE COLLAR) SECURITY SYSTEM BY TST EUROPE



High technology materials

New colour codes


Available versions:
3/8" - Code B.42.0001
1/2" - Code B.42.0002



NPT VERSION AVAILABLE ON DEMAND



WWW.PAOLI.NET | SALES@PAOLI.NET | +39.0522.364511



Available versions:
3/8" - Code B.42.0119
1/2" - Code B.42.0120



NPT VERSION AVAILABLE ON DEMAND

QUICK RELEASE COUPLINGS 3/8" (FOR HOSE THREADED 3/8" BSP)
SUITABLE FOR: DP 36 SF EVO • 4BIKE

SECURITY SYSTEM BY TST EUROPE
Safety Device.
Locking Pressure Series

PRODUCT CODE	INSIDE DIAMETER	THREAD
B.42.0008	7,6 mm (19/64")	3/8" bspt
B.42.0001	8 mm (5/16")	3/8" bsp
B.42.0009	7,6 mm (19/64") ID 60°	3/8" bsp
B.42.0001	8 mm (5/16")	3/8" bsp

NPT VERSION AVAILABLE ON DEMAND



QUICK RELEASE COUPLINGS 3/8" (FOR HOSE THREADED 3/8" BSP)

SUITABLE FOR: DP 36 SF EVO • 4BIKE




ESAFE SYSTEM - WITH SAFETY OUTLET

The new couplings eSafe by Cejn offer a higher flow, a compact design. They are extremely durable and easy to handle. They also have a function of safety outlet.

PRODUCT CODE	INSIDE DIAMETER	THREAD
B.42.0008	7,6 mm (19/64")	3/8" bspt
B.42.0052	7,6 mm (19/64") ID 60°	3/8" bsp
B.42.0009	7,6 mm (19/64") ID 60°	3/8" bsp
B.42.0050	7,6 mm (19/64")	3/8" bspt

NPT VERSION AVAILABLE ON DEMAND



QUICK RELEASE COUPLINGS 3/8" (FOR HOSE THREADED 3/8" BSP)

SUITABLE FOR: DP 36 SF EVO • 4BIKE



HIGH FLOW SERIES - EXTREME USE

Automatic safety-locking feature.
Extremely high flow capacity.
One-hand operated.

PRODUCT CODE	INSIDE DIAMETER	THREAD
B.42.0062	10,4 mm (13/32")	3/8" bspt
B.42.0059	10,4 mm (13/32") ID 60°	3/8" bsp
B.42.0076	10,4 mm (13/32")	3/8" bspt
B.42.0058	10,4 mm (13/32")	3/8" bspt

NPT VERSION AVAILABLE ON DEMAND

